


# Weld on Concentric Reducers

## Carbon Steel

### STANDARD WEIGHT


#### Inches / Pounds



Part #	Nominal Pipe Size	Length (H)	Approximate Weight (in Lbs.)
KCR.75X.5	3/4 x 1/2	1	0.36
KCR1X.5	1 x 1/2	2	0.36
KCR1X.75	1 x 3/4	2	0.36
KCR1.25X.5	1 1/4 x 1/2	2	0.42
KCR1.25X.75	1 1/4 x 3/4	2	0.42
KCR1.25X1	1 1/4 x 1	2	0.48
KCR1.5X.5	1 1/2 x 1/2	2.5	0.56
KCR1.5X.75	1 1/2 x 3/4	2.5	0.56
KCR1.5X1	1 1/2 x 1	2.5	0.57
KCR1.5X1.25	1 1/2 x 1 1/4	2.5	0.65
KCR2X.75	2 x 3/4	3	0.74
KCR2X1	2 x 1	3	0.81
KCR2X1.25	2 x 1 1/4	3	0.88
KCR2X1.5	2 x 1 1/2	3	0.94
KCR2.5X1	2 1/2 x 1	3.5	1.3
KCR2.5X1.25	2 1/2 x 1 1/4	3.5	1.4
KCR2.5X1.5	2 1/2 x 1 1/2	3.5	1.5
KCR2.5X2	2 1/2 x 2	3.5	1.6
KCR3X1	3 x 1	3.5	1.7
KCR3X1.25	3 x 1 1/4	3.5	1.8
KCR3X1.5	3 x 1 1/2	3.5	1.9
KCR3X2	3 x 2	3.5	2.0
KCR3X2.5	3 x 2 1/2	3.5	2.2
KCR3.5X1.25	3 1/2 x 1 1/4	4	2.5
KCR3.5X1.5	3 1/2 x 1 1/2	4	2.6
KCR3.5X2	3 1/2 x 2	4	2.6
KCR3.5X2.5	3 1/2 x 2 1/2	4	2.7
KCR3.5X3	3 1/2 x 3	4	2.8
KCR4X1	4 X 1	4	2.8
KCR4X1.25	4 X 1 1/4	4	3
KCR4X1.5	4 x 1 1/2	4	3
KCR4X2	4 x 2	4	3.1

**\* Dimensions conform to ASME B16.9 & material conforms to ASTM SA-234 Grade B.**


Weld on Concentric Reducers  
Carbon Steel  
**STANDARD WEIGHT**  
Inches / Pounds



Part #	Nominal Pipe Size	Length (H)	Approximate Weight (in Lbs.)
KCR4X2.5	4 x 2 ½	4	3.2
KCR4X3	4 x 3	4	3.3
KCR4X3.5	4 x 3 ½	4	3.5
KCR5X2	5 X 2	5	4.7
KCR5X2.5	5 X 2 ½	5	4.8
KCR5X3	5 X 3	5	5.1
KCR5X3.5	5 X 3 ½	5	5.3
KCR5X4	5 X 4	5	5.5
KCR6X2	6 X 2	5.5	6.5
KCR6X2.5	6 X 2 ½	5.5	6.6
KCR6X3	6 X 3	5.5	6.9
KCR6X3.5	6 X 3 ½	5.5	7.1
KCR6X4	6 X 4	5.5	7.4
KCR6X5	6 X 5	5.5	7.6
KCR8X3	8 X 3	6	9.8
KCR8X3.5	8 X 3 ½	6	10.6
KCR8X4	8 X 4	6	10.8
KCR8X5	8 X 5	6	11.5
KCR8X6	8 X 6	6	12.3
KCR10X4	10 X 4	7	18.4
KCR10X5	10 X 5	7	19.5
KCR10X6	10 X 6	7	20.7
KCR10X8	10 X 8	7	22.1
KCR12X4	12 X 4	8	26.2
KCR12X5	12 X 5	8	27.8
KCR12X6	12 X 6	8	29.5
KCR12X8	12 X 8	8	30.5
KCR12X10	12 X 10	8	32.4
KCR14X6	14 X 6	13	59.2
KCR14X8	14 X 8	13	60.0
KCR14X10	14 X 10	13	61.4
KCR14X12	14 X 12	13	63.1
KCR16X6	16 X 6	14	67.4

*\* Dimensions conform to ASME B16.9 & material conforms to ASTM SA-234 Grade B.*

Weld on Concentric Reducers  
Carbon Steel  
**STANDARD WEIGHT**  
Inches / Pounds



Part #	Nominal Pipe Size	Length (H)	Approximate Weight (in Lbs.)
KCR16X8	16 X 8	14	69.4
KCR16X10	16 X 10	14	71.1
KCR16X12	16 X 12	14	72.7
KCR16X14	16 X 14	14	75.4
KCR18X10	18 X 10	15	83.7
KCR18X12	18 X 12	15	84.8
KCR18X14	18 X 14	15	86.0
KCR18X16	18 X 16	15	87.3
KCR20X10	20 X 10	20	117
KCR20X12	20 X 12	20	118
KCR20X14	20 X 14	20	119
KCR20X16	20 X 16	20	121
KCR20X18	20 X 18	20	123
KCR24X10	24 X 10	20	141
KCR24X12	24 X 12	20	144
KCR24X14	24 X 14	20	147
KCR24X16	24 X 16	20	150
KCR24X18	24 X 18	20	153
KCR24X20	24 X 20	20	156
KCR30X18	30 X 18	24	315
KCR30X20	30 X 20	24	315
KCR30X24	30 X 24	24	315
KCR36X20	36 X 20	24	379
KCR36X24	36 X 24	24	379
KCR36X30	36 X 30	24	379
KCR42X24	42 X 24	24	443
KCR42X30	42 X 30	24	443
KCR42X36	42 X 36	24	443
KCR48X30	48 X 30	28	525
KCR48X36	48 X 36	28	525
KCR48X42	48 X 42	28	525

*\* Dimensions conform to ASME B16.9 & material conforms to ASTM SA-234 Grade B.*