




Straight Tees, Weld on

Standard Weight

Inches / Pounds



Part #	Nominal Pipe Size	Outside Diameter	Inside Diameter	Wall Thickness	Center to End (C)	Center to End (M)	Pipe Schedule	Approximate Weight (in Lbs.)
KT.5	1/2	0.84	0.622	0.109	1.00	1.00	40	0.35
KT.75	3/4	1.05	0.824	0.113	1.12	1.13	40	0.5
KT1	1	1.32	1.049	0.133	1.50	1.50	40	0.8
KT1.25	1 1/4	1.66	1.380	0.140	1.88	1.88	40	1.3
KT1.5	1 1/2	1.90	1.610	0.145	2.25	2.25	40	1.9
KT2	2	2.38	2.067	0.154	2.50	2.50	40	3.2
KT2.5	2 1/2	2.88	2.469	0.203	3.00	3.00	40	5.8
KT3	3	3.50	3.068	0.216	3.38	3.38	40	7.2
KT3.5	3 1/2	4.00	3.548	0.226	3.75	3.75	40	9.5
KT4	4	4.50	4.026	0.237	4.13	4.13	40	12.7
KT5	5	5.56	5.047	0.258	4.88	4.88	40	20.8
KT6	6	6.63	6.065	0.280	5.63	5.63	40	33.1
KT8	8	8.63	7.981	0.322	7.00	7.00	40	56.5
KT10	10	10.75	10.020	0.365	8.50	8.50	40	90.9
KT12	12	12.75	12.000	0.375	10.00	10.00	Standard	136.0
KT14	14	14.00	13.25	0.375	11.00	11.00	30	162.0
KT16	16	16.00	15.250	0.375	12.00	12.00	30	206.0
KT18	18	18.00	17.250	0.375	13.50	13.50	Standard	272.0
KT20	20	20.00	19.250	0.375	15.00	15.00	20	350.0
KT22	22	22.00	21.250	0.375	16.50	16.50	Standard	464
KT24	24	24.00	23.250	0.375	17.00	17.00	20	508.0

* Dimensions conform to ASME B16.9 & material conforms to ASTM SA-234 Grade B.