


# Weld on Concentric Reducers

## Carbon Steel

### Schedule STD/40

Inches / Pounds



Part #	Nominal Pipe Size	Size 1 OD	Size 1 Wall Thickness	Size 1 ID	Size 2 OD	Size 2 Wall Thickness	Size 2 ID	Length (H)	Approximate Weight (LBS)
KCR.75X.5	¾ x ½	1.05	0.113	0.824	0.84	0.109	0.622	1	0.36
KCR1X.5	1 x ½	1.315	0.133	1.049	0.84	0.109	0.622	2	0.36
KCR1X.75	1 x ¾	1.315	0.133	1.049	1.05	0.113	0.824	2	0.36
KCR1.25X.5	1 ¼ x ½	1.66	0.14	1.38	0.84	0.109	0.622	2	0.42
KCR1.25X.75	1 ¼ x ¾	1.66	0.14	1.38	1.05	0.113	0.824	2	0.42
KCR1.25X1	1 ¼ x 1	1.66	0.14	1.38	1.315	0.133	1.049	2	0.48
KCR1.5X.5	1 ½ x ½	1.9	0.145	1.61	0.84	0.109	0.622	2.5	0.56
KCR1.5X.75	1 ½ x ¾	1.9	0.145	1.61	1.05	0.113	0.824	2.5	0.56
KCR1.5X1	1 ½ x 1	1.9	0.145	1.61	1.315	0.133	1.049	2.5	0.57
KCR1.5X1.25	1 ½ x 1 ¼	1.9	0.145	1.61	1.66	0.14	1.38	2.5	0.65
KCR2X.5	2 x ½	2.375	0.154	2.067	0.84	0.109	0.622	2.5	0.65
KCR2X.75	2 x ¾	2.375	0.154	2.067	1.05	0.113	0.824	3	0.74
KCR2X1	2 x 1	2.375	0.154	2.067	1.315	0.133	1.049	3	0.81
KCR2X1.25	2 x 1 ¼	2.375	0.154	2.067	1.66	0.14	1.38	3	0.88
KCR2X1.5	2 x 1 ½	2.375	0.154	2.067	1.9	0.145	1.61	3	0.94
KCR2.5X1	2 ½ x 1	2.875	0.203	2.469	1.315	0.133	1.049	3.5	1.3
KCR2.5X1.25	2 ½ x 1 ¼	2.875	0.203	2.469	1.66	0.14	1.38	3.5	1.4
KCR2.5X1.5	2 ½ x 1 ½	2.875	0.203	2.469	1.9	0.145	1.61	3.5	1.5
KCR2.5X2	2 ½ x 2	2.875	0.203	2.469	2.375	0.154	2.067	3.5	1.6
KCR3X1	3 x 1	3.5	0.216	3.068	1.315	0.133	1.049	3.5	1.7
KCR3X1.25	3 x 1 ¼	3.5	0.216	3.068	1.66	0.14	1.38	3.5	1.8
KCR3X1.5	3 x 1 ½	3.5	0.216	3.068	1.9	0.145	1.61	3.5	1.9
KCR3X2	3 x 2	3.5	0.216	3.068	2.375	0.154	2.067	3.5	2.0
KCR3X2.5	3 x 2 ½	3.5	0.216	3.068	2.875	0.203	2.469	3.5	2.2
KCR4X1.5	4 x 1 ½	4.5	0.237	4.026	1.9	0.145	1.61	4	3
KCR4X2	4 x 2	4.5	0.237	4.026	2.375	0.216	1.943	4	3.1
KCR4X2.5	4 x 2 ½	4.5	0.237	4.026	2.875	0.203	2.469	4	3.2
KCR4X3	4 x 3	4.5	0.237	4.026	3.5	0.216	3.068	4	3.3

\* Dimensions conform to ASME B16.9 & material conforms to ASTM SA-234 Grade B.


## MORE ON NEXT PAGE

# Weld on Concentric Reducers

## Carbon Steel

### Schedule STD/40

### Inches / Pounds



Part #	Nominal Pipe Size	Size 1 OD	Size 1 Wall Thickness	Size 1 ID	Size 2 OD	Size 2 Wall Thickness	Size 2 ID	Length (H)	Approximate Weight (LBS)
KCR4X2.5	4 x 2 1/2	4.5	0.237	4.026	2.875	0.203	2.469	4	3.2
KCR4X3	4 x 3	4.5	0.237	4.026	3.50	0.216	3.068	4	3.3
KCR5X2	5 X 2	5.563	0.258	5.047	2.375	0.154	2.067	5	4.7
KCR5X2.5	5 X 2 1/2	5.563	0.258	5.047	2.875	0.203	2.469	5	4.8
KCR5X3	5 X 3	5.563	0.258	5.047	3.50	0.216	3.068	5	5.1
KCR5X3.5	5 X 3 1/2	5.563	0.258	5.047	4.00	0.226	3.548	5	5.3
KCR5X4	5 X 4	5.563	0.258	5.047	4.50	0.237	4.026	5	5.5
KCR6X2	6 X 2	6.625	0.28	6.065	2.375	0.154	2.067	5.5	6.5
KCR6X2.5	6 X 2 1/2	6.625	0.28	6.065	2.875	0.203	2.469	5.5	6.6
KCR6X3	6 X 3	6.625	0.28	6.065	3.50	0.216	3.068	5.5	6.9
KCR6X3.5	6 X 3 1/2	6.625	0.28	6.065	4.00	0.226	3.548	5.5	7.1
KCR6X4	6 X 4	6.625	0.28	6.065	4.50	0.237	4.026	5.5	7.4
KCR6X5	6 X 5	6.625	0.28	6.065	5.563	0.258	5.047	5.5	7.6
KCR8X3	8 X 3	8.625	0.322	7.981	3.50	0.216	3.068	6	9.8
KCR8X3.5	8 X 3 1/2	8.625	0.322	7.981	4.00	0.226	3.548	6	10.6
KCR8X4	8 X 4	8.625	0.322	7.981	4.50	0.237	4.026	6	10.8
KCR8X5	8 X 5	8.625	0.322	7.981	5.563	0.258	5.047	6	11.5
KCR8X6	8 X 6	8.625	0.322	7.981	6.625	0.28	6.065	6	12.3
KCR10X4	10 X 4	10.75	0.365	10.02	4.50	0.237	4.026	7	18.4
KCR10X5	10 X 5	10.75	0.365	10.02	5.563	0.258	5.047	7	19.5
KCR10X6	10 X 6	10.75	0.365	10.02	6.625	0.28	6.065	7	20.7
KCR10X8	10 X 8	10.75	0.365	10.02	8.625	0.322	7.981	7	22.1
KCR12X4	12 X 4	12.75	0.375	12.00	4.50	0.237	4.026	8	26.2
KCR12X5	12 X 5	12.75	0.375	12.00	5.563	0.258	5.047	8	27.8
KCR12X6	12 X 6	12.75	0.375	12.00	6.625	0.28	6.065	8	29.5
KCR12X8	12 X 8	12.75	0.375	12.00	8.625	0.322	7.981	8	30.5
KCR12X10	12 X 10	12.75	0.375	12.00	10.75	0.365	10.02	8	32.4
KCR14X6	14 X 6	14.0	0.375	13.25	6.625	0.28	6.065	13	59.2
KCR14X8	14 X 8	14.0	0.375	13.25	8.625	0.322	7.981	13	60.0
KCR14X10	14 X 10	14.0	0.375	13.25	10.75	0.365	10.02	13	61.4
KCR14X12	14 X 12	14.0	0.375	13.25	121.75	0.375	121	13	63.1

\* Dimensions conform to ASME B16.9 & material conforms to ASTM SA-234 Grade B.

## MORE ON NEXT PAGE

Pipe Fitting Direct

690 Craig Rd

Edgerton, WI 53534

Phone: (608) 371-9313


Email: sales@pipefittingsdirect.com

# Weld on Concentric Reducers

## Carbon Steel

### Schedule STD/40

### Inches / Pounds



Part #	Nominal Pipe Size	Size 1 OD	Size 1 Wall Thickness	Size 1 ID	Size 2 OD	Size 2 Wall Thickness	Size 2 ID	Length (H)	Approximate Weight (LBS)
KCR16X6	16 X 6	16.0	0.375	15.25	6.625	0.28	6.065	14	67.4
KCR16X8	16 X 8	16.0	0.375	15.25	8.63	0.322	7.981	14	69.4
KCR16X10	16 X 10	16.0	0.375	15.25	10.75	0.365	10.02	14	71.1
KCR16X12	16 X 12	16.0	0.375	15.25	12.75	0.375	12.0	14	72.7
KCR16X14	16 X 14	16.0	0.375	15.25	14.00	0.375	13.25	14	75.4
KCR18X10	18 X 10	18.0	0.375	17.25	10.75	0.365	10.02	15	83.7
KCR18X12	18 X 12	18.0	0.375	17.25	12.75	0.375	12.0	15	84.8
KCR18X14	18 X 14	18.0	0.375	17.25	14.00	0.375	13.25	15	86.0
KCR18X16	18 X 16	18.0	0.375	17.25	16.00	0.375	15.25	15	87.3
KCR20X10	20 X 10	20.0	0.375	19.25	10.00	0.365	9.27	20	117
KCR20X12	20 X 12	20.0	0.375	19.25	12.00	0.375	11.25	20	118
KCR20X14	20 X 14	20.0	0.375	19.25	14.00	0.375	13.25	20	119
KCR20X16	20 X 16	20.0	0.375	19.25	16.00	0.375	15.25	20	121
KCR20X18	20 X 18	20.0	0.375	19.25	18.00	0.375	17.25	20	123
KCR24X10	24 X 10	24.0	0.375	23.25	10.00	0.365	9.27	20	141
KCR24X12	24 X 12	24.0	0.375	23.25	12.00	0.375	11.25	20	144
KCR24X14	24 X 14	24.0	0.375	23.25	14.00	0.375	13.25	20	147
KCR24X16	24 X 16	24.0	0.375	23.25	16.00	0.375	15.25	20	150
KCR24X18	24 X 18	24.0	0.375	23.25	18.00	0.375	17.25	20	153
KCR24X20	24 X 20	24.0	0.375	23.25	20.00	0.375	19.25	20	156
KCR30X18	30 X 18	30.0	0.375	29.25	18.00	0.375	17.25	24	315
KCR30X20	30 X 20	30.0	0.375	29.25	20.00	0.375	19.25	24	315
KCR30X24	30 X 24	30.0	0.375	29.25	24.00	0.375	23.25	24	315
KCR36X20	36 X 20	36.0	0.375	35.25	20.00	0.375	19.25	24	379
KCR36X24	36 X 24	36.0	0.375	35.25	24.00	0.375	23.25	24	379
KCR36X30	36 X 30	36.0	0.375	35.25	30.00	0.375	29.25	24	379
KCR42X24	42 X 24	42.0	0.375	41.25	24.00	0.375	23.25	24	443
KCR42X30	42 X 30	42.0	0.375	41.25	30.00	0.375	29.25	24	443
KCR42X36	42 X 36	42.0	0.375	41.25	36.00	0.375	35.25	24	443
KCR48X30	48 X 30	48.0	0.375	47.25	30.00	0.375	29.25	28	525
KCR48X36	48 X 36	48.0	0.375	47.25	36.00	0.375	35.25	28	525
KCR48X42	48 X 42	48.0	0.375	47.25	42.00	0.375	41.25	28	525

*\* Dimensions conform to ASME B16.9 & material conforms to ASTM SA-234 Grade B.*