




Hex Reducing Bushings

150#, 304 Stainless Steel

Inches / Pounds



Part #	Size (NPT)	A	B	Approximate Weight (in Lbs.)	Hex
KHB.25X.125S	1/4 x 1/8	0.59	0.59	0.02	Out
KHB.375X.125S	3/8 x 1/8	0.65	0.71	0.05	Out
KHB.375X.25S	3/8 x 1/4	0.65	0.71	0.05	Out
KHB.5X.125S	1/2 x 1/8	0.79	0.91	0.06	Out
KHB.5X.25S	1/2 x 1/4	0.79	0.91	0.06	Out
KHB.5X.375S	1/2 x 3/8	0.79	0.91	0.04	Out
KHB.75X.125S	3/4 x 1/8	0.85	1.14	0.10	Out
KHB.75X.25S	3/4 x 1/4	0.85	1.14	0.10	Out
KHB.75X.375S	3/4 x 3/8	0.85	1.14	0.09	Out
KHB.75X.5S	3/4 x 1/2	0.85	1.14	0.07	Out
KHB1X.125S	1 x 1/8	0.96	1.38	0.18	Out
KHB1X.25S	1 x 1/4	0.96	1.38	0.19	Out
KHB1X.375S	1 x 3/8	0.96	1.38	0.19	Out
KHB1X.5S	1 x 1/2	0.96	1.38	0.18	Out
KHB1X.75S	1 x 3/4	0.96	1.38	0.14	Out
KHB1.25X.125S	1 1/4 x 1/8	1.08	1.77	0.34	Out
KHB1.25X.25S	1 1/4 x 1/4	1.08	1.77	0.37	Out
KHB1.25X.375S	1 1/4 x 3/8	1.08	1.77	0.37	Out
KHB1.25X.5S	1 1/4 x 1/2	1.08	1.77	0.37	Out
KHB1.25X.75S	1 1/4 x 3/4	1.08	1.77	0.32	Out
KHB1.25X1S	1 1/4 x 1	1.08	1.77	0.26	Out
KHB1.5X.25S	1 1/2 x 1/4	1.10	1.97	0.44	Out
KHB1.5X.375S	1 1/2 x 3/8	1.10	1.97	0.45	Out
KHB1.5X.5S	1 1/2 x 1/2	1.10	1.97	0.45	Out
KHB1.5X.75S	1 1/2 x 3/4	1.10	1.97	0.43	Out
KHB1.5X1S	1 1/2 x 1	1.10	1.97	0.42	Out
KHB1.5X1.25S	1 1/2 x 1 1/4	1.10	1.97	0.23	Out
KHB2X.25S	2 x 1/4	1.22	2.44	0.83	Out
KHB2X.375S	2 x 3/8	1.22	2.44	0.79	Out
KHB2X.5S	2 x 1/2	1.22	2.44	0.85	Out
KHB2X.75S	2 x 3/4	1.22	2.44	0.82	Out
KHB2X1S	2 x 1	1.22	2.44	0.79	Out
KHB2X1.25S	2 x 1 1/4	1.22	2.44	0.66	Out


(continued on following page)



Hex Reducing Bushings

150#, 304 Stainless Steel

Inches / Pounds



Part #	Size (NPT)	A	B	Approximate Weight (in Lbs.)	Hex
KHB2.1.5S	2 x 1½	1.22	2.44	0.53	Out
KHB2.5X.5S	2½ x ½	1.36	3.07	1.48	Out
KHB2.5X.75S	2½ x ¾	1.36	3.07	1.44	Out
KHB2.5X1S	2½ x 1	1.36	3.07	1.45	Out
KHB2.5X1.25S	2½ x 1¼	1.36	3.07	1.25	Out
KHB2.5X1.5S	2½ x 1½	1.36	3.07	1.12	Out
KHB2.5X2S	2½ x 2	1.36	3.07	0.8	Out
KHB3X1S	3 x 1	1.57	3.54	2.24	Out
KHB3X1.25S	3 x 1¼	1.57	3.54	2.15	Out
KHB3X1.5S	3 x 1½	1.57	3.54	2.15	Out
KHB3X2S	3 x 2	1.57	3.54	1.70	Out
KHB3X2.5S	3 x 2½	1.57	3.54	1.44	Out
KHB4X1.25S	4 x 1¼	1.75	4.65	4.03	Out
KHB4X1.5S	4 x 1½	1.75	4.65	3.94	Out
KHB4X2S	4 x 2	1.75	4.65	3.60	Out
KHB4X2.5S	4 x 2½	1.75	4.65	3.81	Out
KHB4X3S	4 x 3	1.75	4.65	2.83	Out

****Stainless Steel Castings conform to ASTM A351***

****Integral Corrosion Resistance per ASTM A262***

****NPT Threads on all fittings conform to ASME B1.20.1***

****Compliant to: NSF/ANSI 372 - 2016 Drinking Water System Components Lead Content***

****REACH Certified***

****RoHS Certified***

****Manufactured in ISO 9001 facility***

